

ESP Systex Limited

68 – 74 Holderness Road

Hull

East Yorkshire

HU9 1ED

14th August 2020

ITSO POST Compliance Certificate

Certificate Number: C-00003-4
Product/Service name: ESP SECSy Personalisation POST, version 214.002
Compliant with: ITSO TS 1000 Specification Version 2.1.4 Corrigendum 9

Dear Duncan,

ITSO received a request submitted by ESP Systex Limited, for the certification of the ESP SECSy Personalisation POST (software version 214.002). As indicated in Certification Test Report (ref. Test Report – ESP SECSy Personalisation POST ver.214.002), ITSO has found reasonable evidence that the submitted product/service complies to ITSO TS 1000 Specification Version 2.1.4 Corrigendum 9.

Your product/service will be included in the certified products list, published on ITSO website.

Please note that the present Certification is subject to the following general terms and conditions along with conditions/constraints as detailed in Schedule B:

- i. The present Certification is granted on the basis of the ITSO Certification & Compliance Policy and therefore is valid as of today and will expire 7 years from issue, however if the Product/service contains a sub-assembly, the above referenced product will only be valid if the sub-assembly holds a valid ITSO certificate.
- ii. If the Product version number is changed, ESP Systex Limited must notify ITSO of this fact in writing by supplying the release notes. Any change in the Product that may generate a different behaviour with respect to the ITSO TS 1000 Specification version 2.1.4 corrigendum 9 standards may be considered a major modification subject to a new evaluation in order to maintain the present Certification.
- iii. The present Certification granted to ESP Systex Limited for the above referenced Product is non-transferable to any other vendor.
- iv. When request by an ITSO Licenced Operator, the ITSO Registered Supplier must supply a copy of the Test Report.

Schedule A

The ESP SECSY is a Personalisation POST that communicates with the following CMDs within ITSO environment.

The CM supported by this device is shown in the following table:

CM	CMD2	CMD4	CMD7	mCMD2
Customer Media Definition	✓	✓	✓	n/a

The IPEs supported are represented in the following table:

IPE	Create	Modify	Delete	Accept
TYP 0 – Private Application				
TYP 2 – Stored Travel Rights	✓			
TYP 3 – Loyalty (Type 1)	✓			
TYP 4 – CTA (Mode 1)	✓			
TYP 5 – CTA (Mode 2)	✓			
TYP 14 – Entitlement	✓			
TYP 16 – ITSO ID & Entitlement	✓			
TYP 17 – Loyalty (Type 2)	✓			
TYP 22 FR1 – Area Based Ticket	✓			
TYP 22 FR2 – Area Based Ticket	✓			
TYP 23 FR1 – Journey Ticket	✓			
TYP 23 FR2 – Journey Ticket	✓			
TYP 24 – Journey Ticket with Reservations and Special Restrictions	✓			
TYP 25 – Travel Voucher	✓			
TYP 26 – Open System Tolling	✓			
TYP 27 – Period Pass (space saving)	✓			
TYP 28 – Carnet (space saving)	✓			
TYP 29 – Multi Journey Ticker (space saving) – FR1	✓			
TYP 29 – Multi Journey Ticker (space saving) – FR2	✓			
Transient Ticket Log FR 1				
Transient Ticket Log FR 2				
Transient Ticket Log FR 3				
Transient Ticket Log FR 4				

Schedule A (cont.)

The optional functionality supported by this device is shown in the following tables:

Hot listing support			
Multi (0602)	Manually Block	Manually Unblock	Storage

Action list support		
Single (OC03)	Multi (0603)	Storage

Action list Action to Take (ATT) support															
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Interoperability/parameter list support/multi record receipt of multiple types				
ListFR1 Receive 0Axx	List FR1 Receive 0Bxx	List FR2 Receive 0Axx	List FR2 Receive 0Bxx	Receive multiple types 0600

Miscellaneous						
POST HOPS queries	Additional Shell Data 0807	Log 1	UD Frames Generate 0Exx	UD Frames Receive 0Exx	UD Frames Generate 0Fxx	UD Frames Receive 0Fxx

RSPS3002 Rail Supplementary Functions							
Check in	Check out	Undo Check in	Break of Journey	Inter- change	Pass Activation	Lists	Inspection

Schedule A (cont.)

Benchmarking Times

Average read over test – milliseconds (mS)		
CMD2	CMD4	CMD7
n/a	n/a	n/a

***PersoPOSTs are not subjected to benchmarking testing.**

Schedule B

List of conditions and/or constraints applied by ITSO:

- The ESP SECSy PersoPOST supports the creation of CMD2 with default P1 and P2 codes only.



Certificate No. C-00003-4

ITSO Certificate of Compliance

Supplier: **ESP Systex Limited**

Product/service: **ESP SECSy Personalisation POST**

Version: **214.002**

This is to certify that the above product/service has been tested as required by ITSO for compliance against:

ITSO TS 1000 Specification Version: 2.1.4 Corrigendum 9

Test Report Ref: Test Report – ESP SECSy Personalisation POST ver.214.002

This product supports the functions: ITSO POST and communicates within an ITSO environment as listed in Schedule A of this Certificate.

This product may only be used by ITSO Licensed Members complying with the conditions and constraints listed in Schedule B.

Signed for and on behalf of ITSO: _____

Name: Darren Marshall-Sewell

Title: Certification & Compliance Manager

Dated: 14th August 2020

Certificate Valid until: 13th August 2027

Certificate Number C-00003-4 ESP SECSy Personalisation POST

Registered address Aurora House, Deltic Avenue, Milton Keynes, MK13 8LW